

BN3 SERIES

MADE IN TAIWAN



GUARANTEE LETTER

www.bdnfasteners.com



Light to Moderate Industrial Use.

Designed for light to moderate industrial facilities or warehouses in small or up to medium scale industrial areas.







BDN FASTENERS

The Golden Standard in Fasteners.
Comply with Australian Standard AS3566

40 Years Warranty

BDN FASTENERS

- Production Control: Actively monitoring and controlling quality every step of production.
- Steel Wire: AISI 1022 grade carbon steel wires are long lasting, tough, and difficult to break providing high shear, tension, torque, tension and pullout strength.
- Withstands at least 1000hrs of salt-spray testing, which is an accelerated corrosion test according to AS3566.2:2002 for Class 3 Corrosion Resistance Requirements.
- EPDM Washers: Superior quality Registered DEKS Blue Line Marking washers are non-conductive, Heat, UV and Ozone Resistant, and comes with a 20 year warranty.





The warranty

	Characteristics	Warranty Period
•	Dry, Rural Areas Areas remote from the coast and sources of pollution; as well as all of the areas listed below.	40 YEARS
++++	Mild Urban or Rural Areas Areas with little to no chemical pollution, including but not limited to natural chemicals such as ammonia from livestock or carbonmonoxide from log-fire. Areas far from the coast with no impact from salt water spray. Areas at least 2 kilometers away from any type of industry, light or heavy.	30 YEARS
+++	Light Industrial or Urban Areas Light industrial zones, light manufacturing, warehousing, distribution, or limited light intensity activity areas. Built up areas constituted of high human population and infrastructures. Areas at least 1~2 kilometers away from light industrial or urban areas.	15 YEARS
+	Small Industrial Zone Areas located in or adjacent to small industrial zones. Coastal Areas	10 YEARS
+	Coastal Areas located 2 kilometers away from the coast.	YEARS





Warranty Terms and Conditions

- 1 BDN FASTENERS guarantees that within the scope of warranty categorized in the environmental characteristics, the characteristics of the screw should not alter due to corrosion or surface treatment failure.
- The warranty should be in affect starting from the date of purchase or the date of installation.
- Should any damage occur in the state mentioned in 1., the customer will be compensated with screws of the same specification, and with the same or equivalent coating.
- Any warranty claim should be notified in written form and executed only after the damaged goods have been inspected by authorized or Broaden appointed third party personnel.
- 5 The scope of this warranty does extend to nor include indirect or collateral damages.
- The warranty is void if damages are found to be deliberate either during or after installation or via with chemicals (e.g. Direct contact with wet concrete). Screws that were stored incorrectly prior to installation or used for the wrong application will also void warranty.
- 7 This is a non transferable limited warranty which is only valid for the original owner/buyer.

Manufacturer

